Survey Meter Readings at Rongelap Atoll

Feb. - Mar. 1958



| Rongelap Island | Values exp | oressed in | n millireps | per hour |
|---|--------------------|----------------|--------------------|----------------|
| Area Shield: | 3' above closed | ground open | 1" above closed | ground open |
| Southwest edge of village near road | | | | |
| Under Morinda, over dead les | aves .02 | . 2 | . 1 | . 6 |
| Open area over sedge | . 03 | . 18 | . 04 | . 2 |
| Under coconut trees 6' from | road . 02 | . 2 | . 09 | . 6 |
| Open area over grass | . 03 | . 15 | . 04 | . 2 |
| Under Pandanus over dead les | aves .03 | . 16 | . 08 | . 6 |
| Southwest edge of village, seawar | đ | | | |
| Above high tide line | . 03 | . 15 | . 04 | . 4 |
| At high tide line | . 01 | . 15 | . 015 | . 08 |
| Intertidal zone | . 01 | . 18 | . 01 | . 10 |
| 3.1 miles west of Magistrate's house | | | | |
| In coconut grove 25' south of | road .05 | . 35 | . 07 | . 7 |
| In coconut grove 100' south of road | . 04 | . 35 | . 08 | . 6 |
| West end of island about 0.1 miles east of road end | - | | | |
| 15' south of road over open ar | ea .03 | . 3 | . 08 | . 7 |
| 10' north of road over Scaevol | . 03 | . 2 | . 05 | . 2 |
| 60' north of road over sand an Wedalia vines | . 0 3 | . 25 | . 08 | . 5 |

^{*} With a Beckman MX-5

Rongelap Island (continued)

| | Area | Shield: | 3' above p | ground open | 1" above policioned | ground open |
|-----|--------------------------------|-------------------------------------|------------|----------------|---------------------|----------------|
| Nor | th edge of vill | age | | | | |
| | Under coconu | t trees | . 03 | . 15 | . 08 | . 6 |
| | Open area, g | rass | . 03 | . 2 | . 08 | . 7 |
| | Area of soil p | profile #1 | . 03 | . 2 | . 07 | . 7 |
| | Under Pandar | nus | . 04 | , 2 | . 08 | . 6 |
| | Under Messe | rschmidia | . 03 | . 15 | . 07 | . 6 |
| | | Average | . 029 | . 21 | . 064 | . 48 |
| Kab | elle Island | | | | | |
| | Area | | | | | |
| 1 | Center of Isla | and under Pisonia | . 1 | . 6 | . 4 | 1.0-1.5 |
| 2 | Under Pisonia | <u>a</u> | . 1 | . 6 | . 15 | . 7 |
| 3 | Under Pisonia Boerhavia | a, over guano on | · | - | | 1.1 |
| | | lagoon shore towaross center of isl | | | | |
| 4 | Just above his | gh tide line | . 1 | . 5 | . 2 | 1 |
| 5 | About 40 yds. | from shore, ope | en . 3 | 1.4 | . 7 | 3 |
| 6 | About 100 yds Pisonia and c | oconut trees | . 2 | . 8 | . 4 | 1.5 |
| 7 | - | coconut trees | . 3 | 1.1 | . 5 | 2 |
| 3 | About 200 yds under Pisonia | . from shore, | . 13 | . 8 | 8 | 1.0 |

Kabelle Island (continued)

| Area | Shield | 3' above closed | ground open | 1" above closed | ground |
|---|-----------------------------------|--------------------|----------------|--------------------|-------------|
| About 200 yds. sandy area | from shore, | . 1 | . 8 | . 35 | 1.3 |
| About 175 yds. under Pisonia over sand | | . 25 | . 6 | . 3 | 1.2 |
| About 400 yds. Scaevola thicked leaves | | . 13 | . 6 | . 2 | 1. 0 |
| About 400 yds. Scaevola thick cover with bla algal growth | et, over sand | . 13 | . 8 | . 4 | 1. 4 |
| Proceeding from stoward lagoon shor of island | | | | | |
| High tide line, | over sand | . 03 | . 4 | . 04 | . 4 |
| 10 yds. from s thicket, over l | shore in <u>Scaevola</u> eaves | . 07 | . 5 | . 08 | . 6 |
| same area brushed aw | | | | . 2 | 1.0 |
| adjacent lea arm's reac | ives, within h | | | . 08 | . 7 |
| same area leaves brus | as above with hed away | | | . 2 | . 9 |
| 30 yds. from shore under Messerschmidia | | . 09 | . 6 | . 11 | . 7 |
| same ar e a away, over | with leaves brushed humus | d | | . 3 | 1. 3 |
| same area humus brus | with leaves and hed away | | | . 4 | 1. 4 |
| same area of below soil s | over sand 1.3" surface | | | . 05 | . 35 |
| | Average | . 14 | . 72 | 29 | 1.1 |

Kabelle Island (continued)

Note: Attempts were made to measure radiation from various portions of plants, bird nests, etc., but it was found that differences in readings with relation to distance above ground masked any other differences that might exist:

Readings with shield open:

| 1'' | above | ground | 2.0 |
|-----|-------|--------|------|
| 2 ' | 11 | 11 | . 8 |
| 3 ' | 11 | 11 | . 6 |
| 4' | 11 | 11 | . 4 |
| 71 | 11 | 11 | . 25 |

Enia etok Island

| | | 3' above ground | | 1" above ground | |
|------|---|-----------------|-------|-----------------|---------------|
| | Area | closed | open | closed | open |
| isla | adings taken across center of and at widest portion from soon shore to seaward shore. | | | | |
| 1 | Near first house under coconut trees | 1 | . 6 | . 3 | 1.0 |
| 2 | Pile of humus and ashes | . 3 8 | , 5 | . 2 | . 9 |
| 3 | Under Pandanus over dead leaves | 06 | . 6 | . 3 | 1.4 |
| u | Under coconut trees | 07 | . 6 | . 2 | 1.1 |
| 5 | Coconut grove about 1/3 way across island | . 07 | . 6 | . 2 | 1.1 |
| 6 | Pile of coconut husks | . 08 | . 17* | . 08* | . 25 * |
| 7 | Open area with interspersed patches of grass and dried black lichen or algal growth | | . 8 | . 3 | 1.2 |

^{*} These values were double checked and found to be correct.

Eniaetok Island (continued)

| | Area | 3' above closed | ground open | 1" above closed | ground open |
|----|---|-----------------|----------------|--------------------|----------------|
| Е | Open area just above high tide line, over sand | . 05 | . 5 | . 1 | . 8 |
| 9 | Open area just above high tide line, over algae | . 05 | . 5 | . 15 | 1.1 |
| 10 | At high tide line | . 015 | . 15 | . 02 | . 25 |
| 11 | Intertidal zone, beach pavement | . 01 | . 11 | . 02 | . 04 |
| | Average | . 067 | . 47 | . 17 | . 83 |